

## Discharge Summary

<b>Patient name:</b>	MR TEST TEST	<b>Hospital Number:</b>	HE00013161
<b>Date of Birth:</b>	01/01/1980	<b>NHS Number:</b>	
GP Details		Patient Details	
Registered GP:	BAXTER R.JL,	Title:	MR
Address:	THE ALBANY PRACTICE BRENTFORD HEALTH CENTRE BOSTON MANOR ROAD BRENTFORD, MIDDLESEX	Forenames:	TEST
		Surname:	TEST
		Known as:	
Postcode:	TW8 8DS	Hospital No.:	HE00013161
Contact Number:		NHS Number:	
Practice Code:	E85004	Date of Birth:	01/01/1980
		Gender:	Male
		Address:	1 TEST STREET TEST LANE TEST TOWN
		Postcode:	TE5 5TT
		Contact Number:	01248 5547747
Admission Details		Discharge Details	
Consultant:	COLLINS, C	Discharging Consultant:	COLLINS, C
Specialty:	GENERAL MEDICINE	Discharging Specialty:	GENERAL MEDICINE
Location:	AMU1	Discharging Location:	AMU1
Admission date:	15/09/2014	Discharge date:	16/09/2014
Method of admission:	A&E or dental casualty department	Discharge Destination:	USUAL PLACE OF RESIDENCE
Reason for admission:	testing		
Advice / Recommendations and Future Plans			
GP Actions:			
Hospital Actions:			
Community Actions:			
Diagnosis at Discharge			
Primary Diagnosis: testing			
Secondary or other Diagnoses:			
Comments:			



<b>Patient name:</b>	MR TEST TEST	<b>Hospital Number:</b>	HE00013161
<b>Date of Birth:</b>	01/01/1980	<b>NHS Number:</b>	

**Past Medical History**

--

**Smoking status:**

**Smoking cessation is the most important cost effective intervention for COPD. Please remember to offer smoking cessation advice to all smokers**

**Clinical Narrative**

testing

**Investigation Results**

testing

**Results Awaited**

TESTING

**Information given to patient**

--

**Drug information given to patient**

Metformin is used to treat type 2 diabetes. It helps to control the amount of sugar in your blood. Take the tablets with or after some food. Try to remember to take your medicine regularly. If you miss a dose take it with some food as soon as possible, and continue taking it at the usual time. If you are due your next dose, leave out your missed dose; never double your doses to compensate. Metformin can sometimes cause stomach upsets and diarrhoea, but if you keep taking the tablets this should go away in a week or so. Taking the tablets with food helps to prevent this. If any side effects are persistent or troublesome tell your pharmacist or doctor. It is important to stick to the diet the doctor has advised and to try to take regular exercise; Metformin alone cannot control blood sugar.

**Functional measures**

On admission	On discharge
Physical:	Physical:
Cognitive:	Cognitive:
Other:	Other:

Additional Alerts:

Allergies: testing

**Medication on Admission**

Information source:					
Medication	Dose	Freq.	Route	Comments	
METFORMIN 500 mg Tablets	500mg	OD	PO		
SERETIDE 125 Inhaler	TT	BD	INH		



<b>Patient name:</b>	MR TEST TEST	<b>Hospital Number:</b>	HE00013161					
<b>Date of Birth:</b>	01/01/1980	<b>NHS Number:</b>						
Medication on Discharge								
Changes	Medication	Dose	Freq.	Route	Duration	GP To Continue	Quantity	Pharm
Previous medication	METFORMIN 500 mg Tablets	1000	OD	PO			5	
Prescriber Data								
Prescriber ID:	rtdoctors, RT Doctors,							
Comments								
Pharmacist:	rtpharmacy, RT Pharmacy,							
Type Pharmacist:	Ward							
Bleep Number:	123							
Discharge Medication Accepted?	Medication Accepted							
Compliance Aid								
Compliance Aid:								
Comments:								
For Controlled Drugs								
Name:								
Signature:								
Grade:								
Bleep/Contact No:								
Discharging Doctor								
Discharging doctor:	rtdoctors, RT Doctors,							
Grade:	FY1							
Date:	15/09/2014 10:55:48 AM							
Bleep Number / Contact No:	123							

